

This listing of claims will replace all prior versions, and listing, of claims in the application:

**Listing of Claims:**

Claims 1-4 (Canceled)

5. (Currently Amended) The cable support apparatus according to claim ~~[[1]]~~ 22, wherein ~~[[the]]~~ each cable support basket is configured and dimensioned such that upon installation in conjunction with a raised floor system, ~~[[the]]~~ each cable support basket is disposed vertically beneath a corresponding floor panel of the raised floor system.

Claims 6-11 (Canceled)

12. (Currently Amended) The cable support apparatus according to claim ~~[[11]]~~ 22, wherein each ~~of the plurality of cable support baskets includes at least one~~ stringer element is configured and adapted to be suspended from ~~a pair of adjacent support members~~ the pedestal adapters supported on the support pedestals.

Claims 13-15 (Canceled)

16. (Currently Amended) The cable support apparatus according to claim ~~[[14]]~~ 22, wherein each ~~of the plurality of~~ cable support ~~[[baskets]]~~ basket is configured and adapted to support articles on a plane below the pair of stringer elements.

Claims 17 and 18 (Canceled)

19. (Currently Amended) The cable support apparatus according to claim ~~[[18]]~~ 22, wherein at least one transverse ~~[[support]]~~ section is formed of wire stock.

20. (Currently Amended) The cable support apparatus according to claim ~~[[19]]~~ 24, wherein at least one longitudinal ~~[[section]]~~ member is formed of wire stock.

21. (Currently Amended) The cable support apparatus according to claim ~~[[17]]~~ 22, wherein each of the plurality of ~~[[support members]]~~ transverse sections are spaced a distance from an uppermost surface of at least one of the plurality of support pedestals.

22. (Currently Amended) A cable support apparatus for use in a raised floor system that includes a plurality of support pedestals arranged on a base and a plurality of floor panels supported by the plurality of support pedestals a distance above the base, the cable support apparatus comprising:

at least one cable support basket being configured and adapted to support an article thereon, the at least one cable support basket including a pair of stringer elements

and a plurality of transverse [[support members]] sections extending between the pair of stringer elements; and

a plurality of pedestal adapters being configured and adapted to attach one each to a respective support pedestal, wherein each of the plurality of pedestal adapters is configured and adapted to support a portion of a cable support basket is adapted to depend at least partially from at least one of the pedestal adapters.

23. (Currently Amended) The cable support apparatus according to claim 22, wherein each transverse [[support member]] section of each cable support basket includes a pair of riser portions depending from a respective stringer element and a transverse portion extending between the distal ends of the pair of riser portions.

24. (Currently Amended) The cable support apparatus according to claim 23, wherein each cable basket includes at least one longitudinal [[member]] section extending across the transverse portions.

25. (Currently Amended) The cable support apparatus according to claim 24, wherein the longitudinal [[members]] sections and the transverse [[support members]] sections define an open architecture.

26. (Original) The cable support apparatus according to claim 23, wherein each pedestal adapter supports at least an end of two adjacent stringers of two adjacent cable support baskets.

27. (Previously Presented) The cable support apparatus according to claim 26, wherein the pedestal adapter is spaced a distance beneath an uppermost surface of at least one of the plurality of support pedestals.